

Hubbell iSTATION HDMI 110 UTP Extenders for 1080P or Lower

Decorator	ISFH110xx
Module	IMH110ST2xx



4K UHD HDBaseT Frames

Kit, transmitter and receiver	ISFHD4BK
Transmitter	ISFHDT4BK
Receiver	ISFHDR4BK



4K UHD HDBaseT AV Switching Transmitters

(1) VGA, (1) HDMI Transmitter	ISFHDT421BK
(3) HDMI Transmitter	ISFHDT431BK



AV Power Supply

(1) USB 2.0 port 3A, TR receptacle 5V DC output, 15A, 125V	AVPS15xx
--	-----------------



Accessories

5V DC, external power supply	HDMIDC5V
Infrared emitter and receiver kit	AVIR

USB High Speed 110 Extenders

1.5 unit module, send and receive pair	IMU11015xx
--	-------------------



VGA with 3.5mm 110 Term

100 ft, transmitter and receiver pair	IM15311015xx
---------------------------------------	---------------------



Gangable AV Wallboxes



2-gang	HBL985
3-gang	HBL986

Low Voltage AV Wallbox Partitions

Solid divider	HBL989
Pass-through	HBL989AVD

Decorator Wallplates, Standard

1-gang, nylon	NP26xx
2-gang, nylon	NP262xx

Note: Also available in Almond and Light Almond; Light Almond is the same as Office White



xx = Color:

BK (Black)	EI (Electric Ivory) or I (Ivory)	GY (Gray)	OW (Office White)	W (White)
-------------------	--	------------------	--------------------------	------------------

HDMI Horizontal Runs and Device Patch Cords



Patch Cords, 24AWG	
3', Black	HDPC03BK
6', Black	HDPC06BK



Horizontal Cords (connector-to-connector)	
Black	HDHyyBK



Link Cords, 24AWG (connector-to-device)	
Black	HDLyyBK



Coupler Cords, 24AWG (coupler-to-device)	
Black	HDCyyBK
yy = Length: 10 (10'), 15 (15'), 20 (20'), 25 (25'), and 30 (30'); Black and non-plenum only	

AV Plug-n-Play X-End Horizontal Runs, M/M



8-Pin		8-Pin with 3.5mm	
Plenum	VGA6PyyBK	Plenum	VGA36PyyBK
Non-Plenum	VGA6yyBK	Non-Plenum	VGA36yyBK

yy = Length: **15** (15'), **25** (25'), **35** (35'), **50** (50'), **75** (75'), and **100** (100')

X-End AV Plug-n-Play



15-pin VGA, M/M	AV15Myy
15-pin VGA w/ 3.5mm audio, M/M	AV1535yy
15-pin VGA w/ 3.5mm audio, M/F	AV1535T1
yy = Length: 05 (5'), 10 (10')	

X-End AV Snap Fit Connector

8-pin, 4" tail	SFAVCT
----------------	---------------

VGA Plug-n-Play X-End Connections, 15-Pin to 8-Pin



Straight 180°		8" Tail	
1-Pack	15S6P1	Female	15T6P1
		Male	15MP6P1



Angled 45°		Angled 90°	
1-Pack	15A6P1	1-Pack	15N6P1

HDMI Decorator Frames

1-port	NS801xx
2-port	NS802xx



HDMI Couplers



HDMI Coupler		HDMI 3" Tail	
Gold, Female-Female		Gold, Female-Female	
1-pk	HDMIC14	1-pk	HDMIT14



DVI to HDMI Adapter		HDMI Keystone	
Female-Female		Female-Female	
1-pk	DVIHDMI1	1-pk	SFHC14BK



USB Couplers



A to A, 2.0		A to B, 2.0	
Blue	SFUSBAAB	Blue	SFUSBABB
Of. White	SFUSBAAOW	Of. White	SFUSBABOW
White	SFUSBAAW	White	SFUSBABW
A to A, 3.0		A to B, 3.0	
Black	SFUSBAA3BK	Black	SFUSBAB3BK

9- and 15-pin Connectors



Screw Terminal		Gender Changer	
9-pin	9ST10	9-pin	9GC10
15-pin	15ST10	15-pin	15GC10



Screw Terminal		Gender Changer, 90°	
15-pin keystone front mount	SF15ST	15-Pin	
		1-pk	15901

DVI Adapters/Couplers



DVI to DVI coupler	DVI1
DVI to VGA adapter, F/F	DVI151
DVI to HDMI adapter, F/F	DVIHDMI1
DVI blank, 1U, unloaded	IMBDVI15xx

IFP Faceplates

Single Gang

1-port	IFP11xx	2-port	IFP12xx	3-port	IFP13xx
4-port	IFP14xx	6-port	IFP16xx		



Double Gang

6-port	IFP26xx
9-port	IFP29xx
12-port	IFP212xx



NEXTSPEED® Ascent Category 6A Shielded Jacks

Single pack	SJ6A
25-pack	SJ6A25



RCA Connectors



110 Punch Down

Housing: Black
Insulator: Blue, Green, Red, White, Yellow
SFRC110xx




Gold Pass-Thru F/F

Housing: Office White
Insulator: Black, Red, White, Yellow
SFRCxxFF




RCA Solder Term

Housing: See chart (except Office White)
Insulator: See chart
SFRCxxxx



Housing: Office White
Insulator: Blue, Green, Orange
SFRCxxFFOW



Housing: See chart (except Office White)
Insulator: See chart
SFRCxxFFxx

Gold Pass-Thru F/F, Recessed

Housing: See chart
Insulator: See chart
SFRCxxRxx



xx = Insulator Color:

BK	B	GN	OR	R	W	Y
-----------	----------	-----------	-----------	----------	----------	----------

F-Type Connectors



Pass-Thru F/F

Office White **SFFX**
Other colors **SFFxxX***
*Housing Colors as below except: **B** (Black), **E** (Electric Ivory), **G** (Gray)




3 GHz Pass-Thru F/F

Gold **SFF3Gxx**



Pass-Thru F/F, Recessed

Gold **SFGRFxx**



Pass-Thru F/F

Gold **SFFGxx**



RCA to F-Type, Gold Pass-Thru F/F

Gold **SFRFGxx**

Stereo Jacks



3.5mm Solder

SF35SJxx



3.5mm Screw Term

SF35STxx



Pass-Thru F/F

Gold **SF35FFxx**
SF35GFFxx



110 Termination F/F

SF35110BK



1/4" Solder

SF14SJxx



Bulk, 3.5mm 10-Pk

Solder **35S10**
Pass-Thru **35FF10**
Screw Term **35ST10**

Gold Speaker Post Connectors



Screw Term, Black

SFSPGBKxx



Screw Term, Red

SFSPGRxx

BNC Connectors



Pass-Thru F/F

SFBxx



Pass-Thru F/F, Gold

SFBGxx

Blank Connectors and Coupler



Blank, 10-Pk

Office White **SFB10**
SFBxx10*



Smooth Blank, 10-Pk

SFSBxx10*
*No Office White

*Housing Colors as below except: **B** (Black) and **E** (Electric Ivory)

S-Video Connections



S-Video to 110

SFSV110xx



S-Video Pass-Thru

SFSVxx

NSC Patch Cords

Cat 6 **NSC6xxxy**

Cat 5e **NSC5Exxyy**



xx = Color: **BK** (Black), **B** (Blue), **GY** (Gray), **W** (White)
yy = Length: **01** (1'), **03** (3'), **05** (5'), **07** (7'), **10** (10'), **15** (15')

Field Termination Plugs

Can be used with both FTP and UTP cable

Category 6A **SP6A**
Category 6 **SP6**



Inline Data Couplers




Cat 6, Pass-Thru

Black **SFC6BK**
White **SFC6W**



Cat 6, Shielded

Lead-free **SFSC6**
tinned shield



Cat 5e, Pass-Thru

Black **SFC5EBK**
White **SFC5EW**



Cat 5e, Cross Over

10/100BASE-T
Gray **SF5ECOXY**

Xcelerator Jacks



NEXTSPEED® Cat 6A

1-pk. **HJ6Axx**
25-pk. **HJ6Axx25***



NEXTSPEED® Cat 6

1-pk. **HXJ6xx**
25-pk. **HXJ6xx25***



SPEEDGAIN® Cat 5e

1-pk. **HXJ5Exx**
25-pk. **HXJ5Exx25***



USOC

RJ-25 **HXJUxx**

xx = Jack Color:

AL	BK	B	EI	GY	GN
LA	OW	OR	R	W	Y

*Also available in Purple and Gold

xx = Housing Color:

BK (Black)	EI (Electric Ivory) or I (Ivory)	GY (Gray)	OW (Office White)	W (White)
-------------------	--	------------------	--------------------------	------------------

Hubbell SystemOne Flush Delivery Products



Multi-Service Floor Box, Round

PVC	S1PFB
Stamped Steel	S1SFB
Stamped Steel AV	S1SFBV
Cast Iron	S1CFB

Poke-Through, 1-Piece

AV	S1PT3IM*
Decorator	S1PT*
4x4	S1PT4X4*
Furniture Feed	S1PTFF*

*Add suffix for finish:

"AL"=Aluminum; "BL"=Black;
"BRS"=Brass; "GY"=Gray.

Poke-Through Floor Fitting

2-Channel	S1PTFIT
4x4	S1PT4X4FIT
AV	S1PTAVFIT

SystemOne Cover

Carpet	S1CFC*
Tile	S1TFC*
Furniture Feed Carpet	S1SPFF*
Furniture Feed Tile	S1SPFFT*

Sub-Plate

iSTATION	S1SP4IM
4x4	S1SP4X4
Decorator	S1SP
iSTATION + Power	S1SP3IM
Twist-Lock + Data	S1SPTL
Duplex/ Duplex	S1SPDU
Duplex/ Decorator	S1SPDUSL
Datacom/ Duplex	S1SPDU2IM
Datacom/ Decorator	S1SPSL2IM

*Add suffix for finish:

"AL"=Aluminum;
"BL"=Black; "BRS"=Brass;
"I"=Ivory; "GY"=Gray.

Extron® and FSR® Plate

MAAP	S1SPEXT1
+ Power	
AAP	S1SPEXT2
+ Power	
MAAP + AAP	S1SPEXT3
AAP + Power + Data	S1SPEXT4



Hubbell SystemOne Recessed Fire-Rated Poke-Throughs (FRPT)

6" Fitting with Cover

(2) pre-wired 20A receptacles with 18" leads plus 2 decorator openings including 2" EMT and 3/4" EMT	S1R6PTWZxxx
--	--------------------

6" FRPT Fitting

6" through floor fitting including 2" EMT and 3/4" EMT	S1R6PTFIT
--	------------------

6" Cover

6" cast aluminum cover with two large hide-away egress doors	S1R6CVRxxx
--	-------------------

8" Fitting with Cover

(4) pre-wired 20A receptacles with 18" leads plus 3 gangs with 2" EMT for data and AV	S1R8PTZZ3xxx
---	---------------------

8" FRPT Fitting

8" through floor fitting including 2" EMT for data and AV	S1R8PTFIT3
---	-------------------

8" Cover

8" cast aluminum cover with two large hide-away egress doors	S1R8CVRxxx
--	-------------------

6" and 8" Sub-Plate

A large array of power, data and AV sub-plates are available for both 6" and 8" FRPTs. The 8" FRPT can accept third-party, 2-gang devices (i.e. FSR®, Crestron® and Extron®). Consult the area sales team or the Hubbell website.

xxx = Finish: **ALU** (Brushed Aluminum), **BLK** (Black Powder Coat), **BRS** (Brushed Brass, Plated), **BRZ** (Oil Rubbed Bronze, Plated) and **NKL** (Satin Nickel, Plated)



FPTV Connection Enclosures


2-gang in-wall enclosure, White	NSAV62M
Steel cover, White	NSAV6C
2 gang blank cover, White	NSAV6CB
2 gang block wall adapter, White	NSAV6BW
4 gang in wall enclosure, White	NSAV124M
4 gang cover with cable exit, White	NSAV12C
2 or 4 gang stud brackets	NSAV6NW



Recessed Concrete Floor Boxes and Covers

	7-Gang	11-Gang
4" depth	CFB7G4	CFB11G4
6" depth	CFB7G6	CFB11G6
Carpet Cover	CFB7CVRxxx	CFB11CVRxxx
Tile Cover	CFB7Txxx	CFB11Txxx

xxx = Finish: **ALU** (Aluminum), **BRS** (Brass)



Furniture and Work Surface Connectivity Boxes

Square Mini Lift-Up Style

(1) pre-wired 15A outlet w/ 9ft power cord; (1) RJ-45 jack w/ 6ft patch cord	Black	WSBA11BK
	Brushed Stainless	WSBA11BSS
(2) pre-wired 15A outlets w/ 9ft power cord (power only)	Black	WSBA2BK
	Brushed Stainless	WSBA2BSS



Pop-Up Style

Base unit w/ (4) pre-wired 15A outlets w/ 6ft power cord; (2) LV plates w/ 1-U iSTATION module opening	WSBH42U*
Trim ring and round top, Black	WSBHTRBK
Trim ring and round top, Brushed Stainless Steel	WSBHTRBSS
2x2 USB pop-up, Brushed Aluminum	WSBUSB2X2ALU
2x2 USB pop-up, Black Power Coat	WSBUSB2X2BLK

Note: *WSBH42U is CSA Certified only.



Grommet Style

(2) pre-wired 15A outlets w/ 6ft power cord; (2) keystone openings	Black	WSBF22BK
	Silver	WSBF22SV
Flush grommet cover w/ dust shield	Black	WSBFGROMBK
	Silver	WSBFGROMSV
	Brushed Aluminum	WSBFGROMBAL
	Brushed Stainless	WSBFGROMBSS



Pre-Wired Dual-Service, Table Top Box

Pre-wired 15A outlet w/ 9ft power cord; 3.5mm screw terminal audio jack; 15-pin gender changer F/F; (2) keystone openings	TTBDS1xx
---	-----------------

(2) pre-wired 15A outlets w/ 9ft power cord; (2) keystone openings	TTBDS2xx
--	-----------------

xx = Finish: **BK** (Black Anodized Aluminum), **AL** (Clear Anodized Aluminum) and **BR** (Solid Brass).



Hubbell SystemOne 2-Gang Recessed Floor Boxes



	Rectangular Cover		Round Cover	
Standard	CFB2G30	CFB2G25	CFB2G30R	CFB2G25R
On-grade (corrosion resistant)	CFB2G30CR	CFB2G25CR	CFB2G30RCR	CFB2G25RCR

Hubbell SystemOne 4-Gang Recessed Floor Boxes



	Rectangular Cover			Round Cover		
Standard	CFB4G30	CFB4G25	–	CFB4G30R	CFB4G25R	–
On-grade (corrosion resistant)	CFB4G30CR	CFB4G25CR	–	CFB4G30RCR	CFB4G25RCR	–
Cast Iron	–	–	CFB4G30CI	–	–	CFB4G30RCI

Rectangular Covers for 2- and 4-Gang Floor Boxes

Surface	Surface with Insert	Furniture Feed (1" and 2" Plugs)	Flush	Flush with Insert	Furniture Feed (1" and 2" Plugs)
24GCCVRxx	24GCCVRxxC	24GCFVCVRxx	24GTCVRxx	24GTCVRxxC	24GTFFCVRxx

xx = Finish: **ALU** (Aluminum Powder Coat), **BK** (Black Powder Coat), **BRS** (Brass Powder Coat), **BRZ** (Bronze Powder Coat), **NK** (Satin Nickel Powder Coat)

Round Covers

Flush	Furniture Feed (3/4" and 2" Plugs)
CFBS1R6CVRxx	CFBS1R6FFCVRxx*

xx = Finish: **ALU** (Brushed Aluminum), **BLK** (Black Powder Coat), **BRS** (Brass Plated), **BRZ** (Bronze Plated), **NK** (Satin Nickel Plated)

*For use with CFB2GR series only

Pre-Wired Device Plates

Description	Type	15A	20A
Duplex, Gray	Standard Tamper-Resistant	PWFBMPCR15GRY PWFBMPCR15GRYTR	PWFBMPCR20GRY PWFBMPCR20GRYTR
Decorator, Gray	Standard Tamper-Resistant	PWFBMPDR15GRY PWFBMPDR15GRYTR	PWFBMPDR20GRY PWFBMPDR20GRYTR

AV Ceiling Enclosures

Non-plenum, White **AVCE1**
Plenum, White **AVCE1P**
Note: Includes enclosure, (2) 20A duplex receptacles, 2-gang back box




Plates for use in 2-, 4- and 6-Gang Floor Boxes

						
Plate Style	Decorator	Duplex	Extron® MAAAP	Extron®	1U iSTATION	1.5U iSTATION
Catalog No.	FBMPREC	FBMPDUP	FBMPMAAP	FBMPAAP	FBMP2IM	FBMP15IM
						
Plate Style	Simplex 1.40"	Twist-Lock® 1.60"	1-Gang Blank	Cable Feed Thru	TracJack® or Series II®	ISF6 Keystone Jacks
Catalog No.	FBMP139	FBMP156	FBMPBNK	FBMPFT	FBMPTRAC	FBMP6KS

Hubbell SystemOne 6-Gang Recessed Floor Boxes



	Rectangular Cover		Round Cover	
				
Standard	CFB6G30	–	CFB6G30R	–
On-grade (corrosion resistant)	–	CFB6G30CR	–	CFB6G30RCR

Hubbell SystemOne 10-Gang Recessed Floor Boxes



	Rectangular Cover		Round Cover	
				
Standard	CFB10G55	–	CFB10G55R	–
On-grade (corrosion resistant)	–	CFB10G55CR	–	CFB10G55RCR

Rectangular Covers for 6- and 10-Gang Floor Boxes

			
Surface 610GCCVRxx	Surface with Insert 610GCCVRxxC	Flush 610GTCVRxx	Flush with Insert 610GTCVRxxC


xx = Finish: **ALU** (Aluminum Powder Coat), **BK** (Black Powder Coat), **BRS** (Brass Powder Coat), **BRZ** (Bronze Powder Coat), **NK** (Satin Nickel Powder Coat)

Round Covers


Flush CFBS1R8CVRxx

xx = Finish: **ALU** (Brushed Aluminum), **BLK** (Black Powder Coat), **BRS** (Brass Plated), **BRZ** (Bronze Plated), **NK** (Satin Nickel Plated)

CFB10 Series Plates

					
Plate Style Catalog No.	Decorator FB10MPREC	Duplex FB10MPDUP	Blank FB10MPBNK	Decorator Including Hubbell ISF6GY FB10MPKEY	Replacement Spacer Around Wire-Way FB10MPX
					
Plate Style Catalog No.	TracJack® Modules FB10MPTRAC	4 AAP Modules (Uses 2 Gangs) FB10MPAAP	4 MAAP Modules (Uses 2 Gangs) FB10MPMAAP	Pull Thru w Bushing FB10MPFT	
					
Plate Style Catalog No.	(2) Decorator FB10MP2A	(6) 1U iSTATION modules FB10MP2B	Twist-Lock® 1.60" Dia. (Uses 2 Gangs) FB10TLA	Simplex 1.40" Dia. (Uses 2 Gangs) FB10TLX	(2) Twist-Lock® 1.60" Dia. (Uses 3 Gangs) FB10TLB
					
Plate Style Catalog No.	(2) Simplex 1.40" Dia. (Uses 3 Gangs) FB10TLY	(3) Simplex 1.40" Dia. (Uses 5 Gangs) FB10TLZ	(3) Twist-Lock® 1.60" Dia. (Uses 5 Gangs) FB10TLC	(2) 2-Gang; Meets NEMA Spacing; Ideal for Crestron® DM –TX Product and Power FB10MPNEMA2XG	(4) Single Service Openings Utilizing NEMA Wallplate (Uses 5 Gangs) FB10MPNEMA4G

Hubbell iSTATION Plates and Frames

iSTATION Single-Service Plates	iSTATION Stainless Steel Plates
1-gang IMF1xx	1-gang IMSS1
2-gang IMF2xx	2-gang IMSS2
3-gang IMF3xx	3-gang IMSS3
4-gang IMF4xx	4-gang IMSS4

iSTATION Multi-Service Plates	Bezels
2-gang decor IMFP2xx	For 3rd Party Raceway
1-g/1-g IMFP1D1xx	Gray HWAPLGY
1-g/2-g IMFP1D2xx	Of. White HWAPLOW
1-g/3-g IMFP1D3xx	White HWAPLW
2-g/2-g IMFP2D2xx	Raceway
Decorator/iSTATION	For Hubbell Raceway
	Gray KPIMBZGY
	Of. White KPIMBZOW

Multimedia Panels, Unloaded

		
Ports	Flat	Angled
24	HPJ24	HPJ24A
48	HPJ48	HPJ48A
72	HPJ72	—
12	HPJ1289*	

*Pre-mounted on an 89D bracket


8-Port Decorator Panel
2U
HPD8

Jack Panel, High Density, Unloaded			
Height	Ports	Flat*	Angled*
1U	48	UDX48E1U	UDX48A1U
*Accepts only HXJ/HJ Jacks			

*Accepts only HXJ/HJ Jacks



Pro-AV Panel, Rack Mount, Unloaded			
Height	Ports	Flat	Angled
1U	16	PAV16	PAVA16
2U	32	PAV32	PAVA32

xx = Color:

BK (Black)

EI (Electric Ivory) or **I** (Ivory)

GY (Gray)

OW (Office White)

W (White)

Hubbell iSTATION Multimedia Modules

Composite Video w/ L-R Audio Solder	Component Video Solder	Composite Video, 3.5mm Stereo, Solder	Component Video w/ L-R Audio RGBHV Solder
IM3RS1xx	IMCRS1xx	IMRSJ1xx	IMCRS15xx
Component Video, L/R Audio, 110 Term	Component Video, 3.5mm, 110 Term	Composite Video, 3.5mm, 110 Term	Composite Video w/ L-R Audio, 110 Term
IMCAR11015xx	IMC3511015xx	IMR3511015xx	IMR1101xx
LR Audio, 110 Term	Component Video, 110 Term	Component Video Pass-Thru	Composite Video w/ L-R Audio Pass-Thru
IMAR1101xx	IMCR1101xx	IMCRF1xx	IM3RF1xx
S-Video, 3.5mm Stereo, 110 Term	Speaker Post, Screw Term	Banana Plug, 10-Pk.	L-R Audio, 3.5mm Stereo, Pass-Thru
IMSV351101xx	IMSP1xx	Black SPPBK10	IM35AR1xx
		Red SPPR10	

Pro Audio Connections

1394 FireWire, Pass-Thru	1/4" Locking Stereo, Solder
10-pk 139410	10-pk 14510
XLR, 3-pole, Screw Term	USB, A-to-B, Pass-Thru
10-pk XLRST10	10-pk USB10
2-Pole Speakon®, Solder	XLR 3-Pole, Solder
10-pk SC10	10-pk XLR10

Loaded Pro-AV Modules

Mini XLR, 3-Pole, Solder	Screw Term XLR, VGA 3.5mm Stereo
IMXLRM1xx	IM153X2OW

Unloaded Keystone/SC/Pro-AV Modules

SC Angled	Keystone Angled
1-Port, 1 Duplex, 1.5 Unit IM1SCA15xx	1-Port, 1.5 Unit IM1KA15xx
2-Port, 2 Duplex, 2 Unit IM2SCA2xx	2-Port, 1.5 Unit IM2KA15xx
Keystone Flat, 1 Unit	Keystone Recessed, Angled, 1.5 Unit
1-Port IM1K1xx	1-Port IM1IA15xx
2-Port IM2K1xx	2-Port IM2IA15xx
Blank Modules	Pro-AV, 1.5 Unit
0.5 Unit IMB05xx	IMAVB15xx
1 Unit IMB1xx	
1.5 Unit IMB15xx	